

## Lighting Your Life Since 1970

Product Specifications - 10065FTOI		
Job Name:	Job Type:	
Quantity:	Comments	



## 10065FTOI

Stefan 5-Light Chandelier

N/A

N/A

N/A

**Finish** Oil Rubbed Bronze

Glass/Shade Frosted

**Canopy Width** 

**Canopy Height** 

**Canopy Length** 

**Product Category** Single-Tier Chandelier

Lamping

=amping	
Number of Bulbs	5
Light Type	
Bulb Type	MB
Max Bulb Wattage	60
Max Fixture Wattage	300
Rated Life	
Rated Lumens	±0
Color Temp	
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	N/A

Measurements	
Width	25.00"
Height	23.50"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	13.20 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A

Shipping	
Carton Weight	13.20 lbs
Carton Width	23"
Carton Height	9"
Carton Length	23"
Carton Cubic Feet	2.76
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

_				
(,0	rtifi	~2	***	$^{n}$
CE	, ,,,,	u	uν	,,,

Certification		Other	
Safety Rating	Dry	UPC Code	783209108370
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	METAL

Equivalents	
Incandescent Watts	

Fluorescent Watts

N/A

N/A

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.