OXFORD GARDEN[®]





MATERIALS

Powder coated steel is durable. The rust proof nature of the frame offers high quality and strength.

Teak has beautiful dense grain and high oil content allowing it to resist rot, moisture, warping and splintering.

Tekwood is a wood-alternative developed from polystyrene.

Tekwood provides the look of wood without the weathering process or maintenance.


PRODUCT		ASSEMB. WIDTH	ASSEMB. DEPTH	ASSEMB. HEIGHT	ASSEMB. [*] Weight Ibs	CARTON # of BOXES	CARTON WIDTH	CARTON DEPTH	CARTON HEIGHT	CARTON [*] WEIGHT Ibs	MATERIAL OPTIONS
-	TV24T 24″ Bistro	24″	24″	29″	44	3	25″ 28″	25″ 4″	3″ 4″	14 12	**TNV
Base 17"	Base 17″						19″	19″	2″	27	
	TV32T	32″	32″	29″	52	3	33″	33″	3″	24	**T N V
	32" Bistro Base 17"						28″	4″	4″	12	
							25″	25″	2″	50	
	TV36T	36″	36″	29″	56	3	39″	39″	4″	28	**T N V
36" Bistro Base 23"							28″	4″	4″	12	
	Dase 25						25″	25″	2″	50	
	TV24B	24″	24″	41″	48	3	25″	25″	3″	14	**T N V
	24" Bar _{Base 17"}						40″	4″	4″	15	
4	Dase 17						19″	19″	2″	27	
$ \rightarrow $	TV32B	32″	32″	41″	81	3	33″	33″	3″	24	**T N V
	32″ Bar _{Base 23″}						40″	4″	4″	15	
TV36							25″	25″	2″	50	
	TV36B	36″	36″	41″	85	3	39″	39″	4″	28	**T N V
	36" Bar Base 23"						40″	4″	4″	15	
	0036 20						25″	25″	2″	50	

*Assembled and shipping weight based on teak, for individual weights, see individual tear-sheet or contact customer service at 877-866-3331 **Extended Lead Time

FRAME



MATERIAL OPTIONS



OXFORD GARDEN[®]





MATERIALS

Powder coated steel is durable. The rust proof nature of the frame offers high quality and strength.

Teak has beautiful dense grain and high oil content allowing it to resist rot, moisture, warping and splintering.

Tekwood is a wood-alternative developed from polystyrene.

Tekwood provides the look of wood without the weathering process or maintenance.


PRODUCT		ASSEMB. WIDTH	ASSEMB. DEPTH	ASSEMB. HEIGHT	ASSEMB.* Weight ibs	CARTON # of BOXES	CARTON WIDTH	CARTON DEPTH	CARTON HEIGHT	CARTON [*] WEIGHT Ibs	MATERIAL OPTIONS
	TV24ST 24" Bistro Base 17"	24"	24″	29″	44	3	25″ 28″ 19″	25″ 4″ 19″	3″ 4″ 2″	14 12 27	**T N V
	TV32ST 32″ Bistro Base 23″	34″	34″	29″	52	3	33″ 28″ 25″	33″ 4″ 25″	3″ 4″ 2″	24 12 50	**T N V
	TV36ST 36″ Bistro Base 23″	36″	36″	29″	81	3	39″ 28″ 25″	39″ 4″ 25″	4" 4" 2"	28 12 50	**T N V
	TV24SB 24" Bar Base 17"	24″	24″	41″	48	3	25″ 40″ 19″	25" 4" 19"	3" 4" 2"	14 15 27	**T N V
	TV32SB 32″ Bar <i>Base 23″</i>	34″	34″	41″	81	3	33″ 40″ 25″	33″ 4″ 25″	3" 4" 2"	24 15 50	**T N V
	TV36SB 36″ Bar Base 23″	36″	36″	41"	85	3	39″ 40″ 25″	39″ 4″ 25″	4" 4" 2"	28 15 50	**T N V

*Assembled and shipping weight based on teak, for individual weights, see individual tear-sheet or contact customer service at 877-866-3331 **Extended Lead Time

FRAME



MATERIAL OPTIONS



TRAVIRA Tables





	PRODUCT		ASSEMB. WIDTH	ASSEMB. DEPTH	ASSEMB. HEIGHT	ASSEMB.* Weight ibs	CARTON # of BOXES	CARTON WIDTH	CARTON DEPTH	CARTON HEIGHT	CARTON WEIGHT Ibs	MATERIAL OPTIONS
_		TVET End Table	18″	18″	18″	14	1	21″	21″	5″	17	(\mathbf{T})
		TVTA Coffee Table	40.75″	27.5″	19.5″	31	1	44″	31″	4″	34	
		TV39T 39″ Table	40″	40″	29.5″	28	1	43″	43″	5″	45	(\mathbf{T})
4		TV63T 63″ Table	63″	40″	29.5″	68	1	65″	41″	4″	74	$(\bar{\mathbf{T}})(\bar{\mathbf{N}})(\bar{\mathbf{V}})$
of		TV60T 60″ Table Square	60″	60″	29.5″	79	1	62″	62″	4″	89	(\mathbf{T}) (\mathbf{N}) (\mathbf{V})


*Assembled and shipping weight based on teak, for individual weights, see individual tear-sheet or contact customer service at 877-866-3331

MATERIALS

Powder coated aluminum is durable and lightweight. The rust proof nature of the frame offers high quality and strength. Teak has beautiful dense grain and high oil content allowing it to resist rot, moisture, warping and splintering. Tekwood is a wood-alternative developed from polystyrene.

Tekwood provides the look of wood without the weathering process or maintenance.

MATERIAL OPTIONS





TRAVIRA Cafe' Tables





MATERIALS

Powder coated aluminum is durable and lightweight. The rust proof nature of the frame offers high quality and strength. Teak has beautiful dense grain and high oil content allowing it to

resist rot, moisture, warping and splintering.

Tekwood is a wood-alternative developed from polystyrene.

Tekwood provides the look of wood without the weathering process or maintenance.

PRODUCT		ASSEMB. WIDTH	ASSEMB. DEPTH	ASSEMB. HEIGHT	ASSEMB.* Weight Ibs	CARTON # of BOXES	CARTON WIDTH	CARTON DEPTH	CARTON HEIGHT	CARTON [*] WEIGHT Ibs	MATERIAL OPTIONS
	TV48CA 48" Chat	47″	47″	20.5″	42	2	50″ 30″	50″ 30″	5″ 3″	45″ 13″	**(T)(N)(V)
	TV48TA 48″ Dining	47″	47″	29″	44	2	50″ 36″	50″ 30″	5″ 3″	45 14″	(\mathbf{T}) (\mathbf{V})
X	TV24FT 24" Cafe' Bistro	24.25″	24.25″	29″	14	2	26″ 30″	26″ 22″	5″ 3″	15″ 6″	*(T)(N)(V)
X	TV36FT 36" Cafe' Bistro	36.5″	36.5″	29″	29	2	38″ 33″	38″ 26″	5″ 3″	30″ 11″	**T N V
	TV36FBR 36" Cafe' Bar	36.5″	36.5″	40″	30	2	38″ 40″	38″ 32″	5″ 3″	30″ 14″	*(1)(1)**

*Assembled and shipping weight based on teak, for individual weights, see individual tear-sheet or contact customer service at 877-866-3331

**Extended Lead Time

FRAME



MATERIAL OPTIONS



TRAVIRA Slatted Seating





MATERIALS

Powder coated aluminum is durable and lightweight. The rust proof nature of the frame offers high quality and strength. Teak has beautiful dense grain and high oil content allowing it to resist rot, moisture, warping and splintering. Tekwood is a wood-alternative developed from polystyrene. Tekwood provides the look of wood without the weathering process or maintenance. Resin Wicker is made of a synthetic polyethylene material. Durable and elastic, resin wicker will resist weathering and endure.

PRODUCT		ASSEMB. WIDTH	ASSEMB. DEPTH	ASSEMB. HEIGHT	ASSEMB.* WEIGHT Ibs	CARTON # of BOXES	CARTON WIDTH	CARTON DEPTH	CARTON HEIGHT	CARTON [*] WEIGHT Ibs	MATERIAL OPTIONS
	TVBCH Bar Chair Seat Height 32"	18.5″	22″	48″	14	1	29″	33″	31″	44	(T) (N) (V)
	TVCH Armchair Seat Height 17"	22″	21.5″	33.5″	16	1	24″	32″	46″	70	T N V W armcaps available in T N V
	TVSC Sidechair Seat Height 17"	18.25″	22″	33.5″	12	1	30″	24″	42″	72	(T) (N) (V)
	TVBB48 48" Backless Bench Seat Height 18"	48″	19″	18″	20	1	50″	20″	4″	25	() () (T)**
	TV48 48" Stacking Bench Seat Height 1725"	45″	23″	33.5″	30	1	47″	25″	36″	41	TNV

*Assembled and shipping weight based on teak, for individual weights, see individual tear-sheet or contact customer service at 877-866-3331 Indicates that the item is sold in multiples of TWO. Shipping weight and dimensions are based on the largest case pack available.

** Extended Lead Time

FRAME



MATERIAL OPTIONS



OXFORD GARDEN[®]

TRAVIRA Sling Seating





MATERIALS


Powder coated aluminum is durable and lightweight. The rust proof nature of the frame offers high quality and strength. Teak has beautiful dense grain and high oil content allowing it to resist rot, moisture, warping and splintering. Tekwood is a wood-alternative developed from polystyrene. Tekwood provides the look of wood without the weathering process or maintenance. Composite Sling is made with Textilene®, a composite mesh fabric woven using PVC coated polyester.

PRODUCT		ASSEMB. WIDTH	ASSEMB. DEPTH	ASSEMB. HEIGHT	ASSEMB. [*] Weight Ibs	CARTON # of BOXES	CARTON WIDTH	CARTON DEPTH	CARTON HEIGHT	CARTON [*] WEIGHT Ibs	MATERIAL OPTIONS
	TVBCHS 3ar Chair Sling	18.5″	22″	48″	14	1	29″	33″	31″	44	©®E
	TVCHS Armchair Seat Height 17"	22″	21.5″	33.5″	14	1	24″	32″	46″	66	C B E armcaps available in T N
	TVBE Beach Chair Seat Height 11 "	26.5″	30.5″	27″	9	1	29″	33″	31″	44	CBE armcaps available in TNV
	TVCAS Chat Chair Seat Height 15"	26.5″	30.5″	32″	10	1	29″	36″	39″	45	CBE armcaps available in TNV
	TVL80 Chaise Seat Height 15"	32″	80″	23″	45	1	88″	35″	38″	192	CBE armcaps available in TNV

on teak, for individual weights, see individual tear-sheet or contact customer service at 877-866-3331 😰 indicates that the item is available in a qty. of TWO or FOUR only. Shipping weight and dimensions are based on the largest case pack available. **Extended Lead Time

ARMCAPS AVAILABLE IN (T)(N)(V)FRAME

Powder (A) Coated Aluminum



IN STOCK SLING COLOR OPTIONS



EXTENDED LEADTIME SLING COLOR OPTIONS



TRAVIRA Modular





MATERIALS

or maintenance.

Powder coated aluminum is durable and lightweight. The rust proof nature of the frame offers high quality and strength. Tekwood is a wood-alternative developed from polystyrene. Tekwood provides the look of wood without the weathering process

PRODUCT		ASSEMB. WIDTH	ASSEMB. DEPTH	ASSEMB. HEIGHT	ASSEMB. WEIGHT Ibs	CARTON # of BOXES	CARTON WIDTH	CARTON DEPTH	CARTON HEIGHT	CARTON WEIGHT Ibs	MATERIAL OPTIONS
	TVLSR Modular Loveseat Right	61.5″	32″	34.75″	49	1	64″	34″	37″	62	armcaps available in
	TVLSL Modular Loveseat Left	61.5″	32″	34.75″	49	1	64″	34″	37″	62	armcaps available in
-	TVCNST Modular Corner	32″	32″	34.5″	30	1	34″	34″	36″	42	
	TVCSST Modular Sidechair	29.5″	32″	34.5″	25	1	32″	34″	37″	34	
	TVOTST Modular Ottoman	29.5″	26.5″	18″	15	1	31″	28″	15″	20	

Cushions Included in Stone fabric (solution-dyed acrylic)

Coordinated cushion fabrics available using Sunbrella® 100% solution dyed acrylic. Customer's own material (COM) and Sunbrella® special order fabrics (SOF) are also available in even quantities with a minimum of 4 cushions. Go to www.oxfordgarden.com for fabric color options.


FRAME



ARMCAPS AVAILABLE IN $(\mathbf{N})(\mathbf{V})$







PRODUCT		ASSEMB. WIDTH	ASSEMB. DEPTH	ASSEMB. HEIGHT	ASSEMB. Weight ibs	CARTON # of BOXES	CARTON WIDTH	CARTON DEPTH	CARTON HEIGHT	CARTON WEIGHT Ibs	MATERIAL OPTIONS
	TVLSVST Loveseat	61.5″	32″	34.75″	49	1	64″	34″	37″	65	armcaps available in
	TVCCVST Club Chair	33.5″	32″	34.5″	30	1	36″	34″	37″	41	armcaps available in

Solution-dyed cushion included (stone) shown.

Coordinated cushion fabrics available using Sunbrella® 100% solution dyed acrylic. Customer's own material (COM) and Sunbrella® special order fabrics (SOF) are also available in even quantities with a minimum of 4 cushions. Go to www.oxfordgarden.com for fabric color options.

MATERIALS

 Powder coated aluminum is durable and lightweight. The rust proof

 nature of the frame offers high quality and strength.

 Tekwood is a wood-alternative developed from polystyrene.

 Tekwood provides the look of wood without the weathering process or maintenance.

FRAME



ARMCAPS AVAILABLE IN $(\mathbf{N})(\mathbf{V})$

